

Arithmetic

expr	Evaluate expressions
expr,instr ifile ofile	
exprf	Evaluate expressions from script file
exprf,filename ifile ofile	
abs	Absolute value
int	Integer value
nint	Nearest integer value
pow	Power
sqr	Square
sqrt	Square root
exp	Exponential
ln	Natural logarithm
log10	Base 10 logarithm
sin	Sine
cos	Cosine
tan	Tangent
asin	Arc sine
acos	Arc cosine
reci	Reciprocal value
<operator> ifile ofile	
addc	Add a constant
subc	Subtract a constant
multc	Multiply with a constant
divc	Divide by a constant
<operator>,c ifile ofile	
add	Add two fields
sub	Subtract two fields
mul	Multiply two fields
div	Divide two fields
min	Minimum of two fields
max	Maximum of two fields
atan2	Arc tangent of two fields
<operator> ifile1 ifile2 ofile	
monadd	Add monthly time series
mons sub	Subtract monthly time series
monmul	Multiply monthly time series
mondiv	Divide monthly time series
<operator> ifile1 ifile2 ofile	
ymonadd	Add multi-year monthly time series
ymon sub	Subtract multi-year monthly time series
ymonmul	Multiply multi-year monthly time series
ymondiv	Divide multi-year monthly time series
<operator> ifile1 ifile2 ofile	
ydayadd	Add multi-year daily time series
ydaysub	Subtract multi-year daily time series
ydaymul	Multiply multi-year daily time series
ydaydiv	Divide multi-year daily time series
<operator> ifile1 ifile2 ofile	
muldpm	Multiply with days per month
divdpm	Divide by days per month
muldpv	Multiply with days per year
divdpv	Divide by days per year
<operator> ifile ofile	

Statistical values

Available statistical functions	<stat>
minimum	min
maximum	max
sum	sum
mean	mean
average	avg
variance	var
standard deviation	std
consecents	Consecutive Timesteps
<operator> ifile ofile	

ens<stat>	Statistical values over an ensemble
<operator> ifiles ofile	
ensptl	Ensemble percentiles
ensptl,p ifiles ofile	
ensbrs	Brier score
enscrps	Cumulative Ranked Probability score
ensrkhistspace	Ranked Histogram averaged over time
ensrkhisttime	Ranked Histogram averaged over space
ensroc	Ensemble Receiver Operating characteristics
<operator> obsfile ensfiles ofile	
fld<stat>	Statistical values over a field
<operator> ifile ofile	
fldctl	Field percentiles
fldctl,p ifile ofile	
zon<stat>	Zonal statistical values
<operator> ifile ofile	
zonpctl	Zonal percentiles
zonpctl,p ifile ofile	
mer<stat>	Meridional statistical values
<operator> ifile ofile	
merpctl	Meridional percentiles
merpctl,p ifile ofile	
gridbox<stat>	Statistical values over grid boxes
<operator>,nx,ny ifile ofile	
vert<stat>	Vertical statistical values
<operator> ifile ofile	
timsel<stat>	Time range statistical values
<operator>,nsets[,noffset[,nskip]] ifile ofile	
timselpctl	Time range percentiles
timselpctl,p,nsets[,noffset[,nskip]] ifile1 ifile2 ifile3 ofile	
run<stat>	Running statistical values
<operator>,nts ifile ofile	
runpctl	Running percentiles
runpctl,p,nts ifile1 ofile	
tim<stat>	Statistical values over all time steps
<operator> ifile ofile	
tmpctl	Time percentiles
tmpctl,p ifile1 ifile2 ifile3 ofile	
hour<stat>	Hourly statistical values
<operator> ifile ofile	
hourpctl	Hourly percentiles
hourpctl,p ifile1 ifile2 ifile3 ofile	
day<stat>	Daily statistical values
<operator> ifile ofile	
daypctl	Daily percentiles
daypctl,p ifile1 ifile2 ifile3 ofile	
mon<stat>	Monthly statistical values
<operator> ifile ofile	
monpctl	Monthly percentiles
monpctl,p ifile1 ifile2 ifile3 ofile	
year<stat>	Yearly statistical values
<operator> ifile ofile	
yearpctl	Yearly percentiles
yearpctl,p ifile1 ifile2 ifile3 ofile	
seas<stat>	Seasonal statistical values
<operator> ifile ofile	
seaspctl	Seasonal percentiles
seaspctl,p ifile1 ifile2 ifile3 ofile	
yhour<stat>	Multi-year hourly statistical values
<operator> ifile ofile	
yday<stat>	Multi-year daily statistical values
<operator> ifile ofile	

ydaypctl	Multi-year daily percentiles
ydaypctl,p ifile1 ifile2 ifile3 ofile	
ymon<stat>	Multi-year monthly statistical values
<operator> ifile ofile	
ymonpctl	Multi-year monthly percentiles
ymonpctl,p ifile1 ifile2 ifile3 ofile	
yseas<stat>	Multi-year seasonal statistical values
<operator> ifile ofile	
yseaspctl	Multi-year seasonal percentiles
yseaspctl,p ifile1 ifile2 ifile3 ofile	
ydrun<stat>	Multi-year daily running statistical values
<operator>,nts ifile ofile	
ydrunpctl	Multi-year daily running percentiles
ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile	

ml2pl	Model to pressure level interpolation
ml2pl,plevels ifile ofile	
ml2hl	Model to height level interpolation
ml2hl,hlevels ifile ofile	
intlevel	Linear level interpolation
intlevel,levels ifile ofile	
inttime	Interpolation between time steps
inttime,date,time[,inc] ifile ofile	
inttime	Interpolation between time steps
inttime,n ifile ofile	
intyear	Interpolation between two years
intyear,years ifile1 ifile2 obase	
Transformation	
sp2gp	Spectral to gridpoint
sp2gp1	Spectral to gridpoint (linear)
gp2sp	Gridpoint to spectral
gp2spl	Gridpoint to spectral (linear)
<operator> ifile ofile	
sp2sp	Spectral to spectral
sp2sp,trunc ifile ofile	
dv2uv	Divergence and vorticity to U and V wind
dv2uvl	Divergence and vorticity to U and V wind (linear)
uv2dv	U and V wind to divergence and vorticity
uv2dvl	U and V wind to divergence and vorticity (linear)
dv2ps	D and V to velocity potential and stream function
<operator> ifile ofile	
Regression	
regres	Regression
regres ifile ofile	
detrend	Detrend
detrend ifile ofile	
trend	Trend
trend ifile ofile1 ofile2	
subtrend	Subtract trend
subtrend ifile1 ifile2 ifile3 ofile	
EOFs	
eof	Calculate EOFs in spatial or time space
eotime	Calculate EOFs in time space
eofspatial	Calculate EOFs in spatial space
eof3d	Calculate 3-Dimensional EOFs in time space
<operator>,neof ifile ofile1 ofile2	
eofcoeff	Calculate principal coefficients of EOFs
eofcoeff ifile1 ifile2 obase	
Interpolation	
remapbil	Bilinear interpolation
remapbic	Bicubic interpolation
remapdis	Distance-weighted average remapping
remapnn	Nearest neighbor remapping
remapcon	First order conservative remapping
remapcon2	Second order conservative remapping
remaplafr	Largest area fraction remapping
<operator>,grid ifile ofile	
genbil	Generate bilinear interpolation weights
genbic	Generate bicubic interpolation weights
gendis	Generate distance-weighted average remap weights
gennn	Generate nearest neighbor remap weights
gencon	Generate 1st order conservative remap weights
gencon2	Generate 2nd order conservative remap weights
genlaf	Generate largest area fraction remap weights
<operator>,grid ifile ofile	
remap	SCRIP grid remapping
remap,grid,weights ifile ofile	
remapeta	Remap vertical hybrid level
remapeta,vct[,oro] ifile ofile	
Import/Export	
import_binary	Import binary data sets
import_binary ifile ofile	
import_cmsaf	Import CM-SAF HDF5 files
import_cmsaf ifile ofile	
import_amsr	Import AMSR binary files
import_amsr ifile ofile	
input	ASCII input
input,grid ofile	
inputsrv	SERVICE ASCII input
inputtext	EXTRA ASCII input
<operator> ifile	
output	ASCII output
output ifiles	
outputf	Formatted output
outputf,format,nelem ifiles	
outputint	Integer output
outputsrv	SERVICE ASCII output
outputtext	EXTRA ASCII output
<operator> ifiles	
Miscellaneous	
gradsdes1	GrADS data descriptor file (version 1 GRIB map)
gradsdes2	GrADS data descriptor file (version 2 GRIB map)
<operator> ifile	
bandpass	Bandpass filtering
bandpass,fmin,fmax ifile ofile	
lowpass	Lowpass filtering
lowpass,fmax ifile ofile	
highpass	Highpass filtering
highpass,fmin ifile ofile	
gridarea	Grid cell area
gridweights	Grid cell weights
<operator> ifile ofile	
smooth9	9 point smoothing
smooth9 ifile ofile	

setvals	Set list of old values to new values
setvals, <i>oldval,newval[...]</i>	ifile ofile
setrtoc	Set range to constant
setrtoc, <i>rmin,rmax,c</i>	ifile ofile
setrtoc2	Set range to constant others to constant2
setrtoc2, <i>rmin,rmax,c,c2</i>	ifile ofile
timsort	Sort over the time
timsort	ifile ofile
const	Create a constant field
const, <i>const,grid</i>	ofile
random	Create a field with random numbers
random, <i>grid,[seed]</i>	ofile
rotuvb	Backward rotation
rotuvb, <i>u,v,...</i>	ifile ofile
mastrfu	Mass stream function
mastrfu	ifile ofile
histcount	Histogram count
histsum	Histogram sum
histmean	Histogram mean
histfreq	Histogram frequency
<operator>, <i>bounds</i>	ifile ofile
sethalo	Set the left and right bounds of a field
sethalo, <i>lhalo,rhalo</i>	ifile ofile
wct	Windchill temperature
wct	ifile1 ifile2 ofile
fdns	Frost days where no snow index per time period
fdns	ifile1 ifile2 ofile
strwin	Strong wind days index per time period
strwin, <i>[,v]</i>	ifile ofile
strbre	Strong breeze days index per time period
strbre	ifile ofile
strgal	Strong gale days index per time period
strgal	ifile ofile
hurr	Hurricane days index per time period
hurr	ifile ofile

Climate indices

eca_cdd	Consecutive dry days index per time period
eca_cdd	ifile ofile
eca_cfd	Consecutive frost days index per time period
eca_cfd	ifile ofile
eca_csu	Consecutive summer days index per time period
eca_csu, <i>[,T]</i>	ifile ofile
eca_cwd	Consecutive wet days index per time period
eca_cwd	ifile ofile
eca_cwdi	Cold wave duration index wrt mean of reference period
eca_cwdi, <i>[,nday[,T]]</i>	ifile1 ifile2 ofile
eca_cwfi	Cold-spell days index wrt 10th percentile of reference period
eca_cwfi, <i>[,nday]</i>	ifile1 ifile2 ofile
eca_etr	Intra-period extreme temperature range
eca_etr	ifile1 ifile2 ofile
eca_fd	Frost days index per time period
eca_fd	ifile ofile
eca_gsl	Growing season length index
eca_gsl, <i>[,nday[,T[,fland]]]</i>	ifile1 ifile2 ofile
eca_hd	Heating degree days per time period
eca_hd, <i>[,T1[,T2]]</i>	ifile ofile
eca_hwdi	Heat wave duration index wrt mean of reference period
eca_hwdi, <i>[,nday[,T]]</i>	ifile1 ifile2 ofile
eca_hwfi	Warm spell days index wrt 90th percentile of reference period
eca_hwfi, <i>[,nday]</i>	ifile1 ifile2 ofile

eca_id	Ice days index per time period
eca_id	ifile ofile
eca_pd	Precipitation days index per time period
eca_pd,x	ifile ofile
eca_r10mm	Heavy precipitation days index per time period
eca_r20mm	Very heavy precipitation days index per time period
<operator>	ifile ofile
eca_r75p	Moderate wet days wrt 75th percentile of reference period
eca_r75p	ifile1 ifile2 ofile
eca_r75ptot	Precipitation percent due to R75p days
eca_r75ptot	ifile1 ifile2 ofile
eca_r90p	Wet days wrt 90th percentile of reference period
eca_r90p	ifile1 ifile2 ofile
eca_r90ptot	Precipitation percent due to R90p days
eca_r90ptot	ifile1 ifile2 ofile
eca_r95p	Very wet days wrt 95th percentile of reference period
eca_r95p	ifile1 ifile2 ofile
eca_r95ptot	Precipitation percent due to R95p days
eca_r95ptot	ifile1 ifile2 ofile
eca_r99p	Extremely wet days wrt 99th percentile of reference period
eca_r99p	ifile1 ifile2 ofile
eca_r99ptot	Precipitation percent due to R99p days
eca_r99ptot	ifile1 ifile2 ofile
eca_rr1	Wet days index per time period
eca_rr1	ifile ofile
eca_rx1day	Highest one day precipitation amount per time period
eca_rx1day, <i>[,mode]</i>	ifile ofile
eca_rx5day	Highest five-day precipitation amount per time period
eca_rx5day, <i>[,x]</i>	ifile ofile
eca_sdii	Simple daily intensity index per time period
eca_sdii	ifile ofile
eca_su	Summer days index per time period
eca_su, <i>[,T]</i>	ifile ofile
eca_tg10p	Cold days percent wrt 10th percentile of reference period
eca_tg10p	ifile1 ifile2 ofile
eca_tg90p	Warm days percent wrt 90th percentile of reference period
eca_tg90p	ifile1 ifile2 ofile
eca_tn10p	Cold nights percent wrt 10th percentile of reference period
eca_tn10p	ifile1 ifile2 ofile
eca_tn90p	Warm nights percent wrt 90th percentile of reference period
eca_tn90p	ifile1 ifile2 ofile
eca_tr	Tropical nights index per time period
eca_tr, <i>[,T]</i>	ifile ofile
eca_tx10p	Very cold days percent wrt 10th percentile of reference period
eca_tx10p	ifile1 ifile2 ofile
eca_tx90p	Very warm days percent wrt 90th percentile of reference period
eca_tx90p	ifile1 ifile2 ofile